2014年度日本政府(文部科学省) 奨学金留学生選考試験

QUALIFYING EXAMINATION FOR APPLICANTS FOR JAPANESE GOVERNMENT (MONBUKAGAKUSHO) SCHOLARSHIPS 2014

学科試験 問題 EXAMINATION QUESTIONS

(学部留学生) UNDERGRADUATE STUDENTS

> 化 学 CHEMISTRY

注意 ☆試験時間は60分。 PLEASE NOTE: THE TEST PERIOD IS **60 MINUTES**.

CHE	MIS	TRY

Nationality	No.	
Name	(Please print full name, underlining family name)	18
Name		

	5
Marks	

Ι

(1)	(2)	(3)	(4)	
(5)	(6)	(7)		

П

(a)	g	(b)	$\operatorname{mol} L^{-1}$

Ш

(a)	(b)	
(c)	(d)	

IV

(a)	%	(b)	r
(c)	%	(d)	r

V

VI

(1)	(2)	(3)	(4)
	×		

VII

(1)	(2)	(3)	(4)	(5)

CIT	CAF	TOT	DV
CH	CIVI	19.1	KI

Nationality		No.	
	(Please print family name)	full name, u	nderlining
Name	200		

Marks	

I	Write the reference	number o	of the	correct	answer	in	the	appropriate	box	on	the	Answer	Sheet
	below.												

below.			

	rite the	e reference number of	of the	e correct ans	wer in t	he app	propriate box on	the Answer Shee	t
(1)	Whi	ch of the elements 1)	to 4)	has no allot	opes?				
	1)	C	2)	×Ρ		3)	0	4) F	
(2)		n dissolved in water ts the lowest pH?	at th	e concentrati	on of 1	mol L	, which of the	substances 1) to 4	!)
	1)	HCl	2)	HF	3) C	H₃CO	OH 4)	H_2S	
(3)	Whi	ch of the substances	1) to	4) contains of	nly sing	le bon	ds?		
	1)	carbon dioxide hydrogen peroxide	,4-			2) 4)	phosphoric acid nitrogen		
(4)) WI	hich of the substance	s 1) to	o 4) has the h	nighest n	nelting	g point?		
	1)	Ag	2)	Al		3)	Fe	4) Sn	

- (5) Which of the descriptions 1) to 4) is not correct for the properties of crystalline silicon?
 - A silicon atom is surrounded by its four nearest-neighbor silicon atoms.
 - High purity crystals are applied to solar cells.
 - 3) Electrical conductivity can be tuned by doping boron or phosphorus.
 - Crystalline silicon is transparent to visible light.

	Whi	ch combinatio	n of th	e substances 1)	to 4) pr	oduces chlo	rine w	hen the	y react to evolve
	gase	s?				281			
	1)	calcium hydr	oxide a	nd ammonium cl	nloride				
	2)			and hydrochloric	acid				
	3)	sodium chlor	ide and	sulfuric acid					
	4)	zinc and hydr	rochlori	ic acid					
(7)	Wh	ich of the prop	erties 1) to 4) is not app	ropriate	e for ideal ga	ıs?		
	1)	The volume	of an in	dividual atom or	molecu	ıle is zero.			
	2)	There is no in	nteracti	on among the ato	ms and	molecules.			
	3)	It transforms	into lio	uid or solid at lo	w temp	eratures.			
	4)	It obeys Boy	le's law	1					
(1)			(2)		(3)			(4)	
(5)			(6)		(7)	74			
				Jac.					
Ι	Give	the appropriate	values	for (a) and	(b) in the ser	tences	below	to two significan
				alues for atomic					
4	~				_				
1									
	00 ml	of 1.0 mol L	-1 NaO	H ag contains (a)g	of NaOH.	After m	ixing 1	00 mL of 1.0 mo
10									00 mL of 1.0 mo) mol L^{-1} .
10				H aq contains (
10				olution, the conc					

III Give the appropriate name of the compounds or ions for (a) to (d) below using chemical formulas. The e denotes an electron.

The overall reaction in a fuel cell that uses KOH as electrolyte is written as follows;

$$2~H_2+O_2~\rightarrow~2~H_2O.$$

At the anode, (a) is oxidized by the reaction;

$$(a)+2(b) \rightarrow 2(c)+2e^{-}$$

At the cathode, (d) is reduced by the reaction;


$$(d)+2(c)+4e^{-} \rightarrow 4(b).$$

(a)	(b)	
(c)	(d)	

- IV Think of a cubic unit cell of crystal that is composed of a single kind of atom. By placing atoms at every corner of the cube, a simple cubic lattice is formed. Assume that the atoms are perfect hard spheres with a radius r and that the atoms are in close contact to minimize the volume of the cube. Write the correct answers for (a) to (d) below to two significant figures.
 - (1) In the simple cubic lattice, the volume occupied by the atoms is (a) % that of the cube, and the length of the edge of the cube is (b) r.
 - (2) To the simple cubic lattice described above, atoms are added to all the face-center positions of the cube. In the resulting lattice, the volume occupied by the atoms is (c)% of the cube, and the length of the edge of the cube is (d) r.

(a)	%	(b)	r
(c)	%	(d)	r

V Outlined here are synthetic processes of organic compounds. Select the structural formulas for the compounds A to J from (1)-(24).



(11) $H_2C=CH-C\equiv CH$ (12) $H_2C=CH_2$ (13) $H_2C=CHCN$ (14) CH_3OH (15) $H_3C-C-CH_3$

(16) $CH_3CH_2CH_3$ (17) (18) $H_2C=CH-C=CH_2$ (19) $H_2C=CHCI$ (20) $H_2C=CHOCCH_3$

(21) CH₃CH₂OH (22) CH₃CH₂CI (23) CH₂BrCH₂Br (24) H₂C=CH-CH=CH₂

A	В	С	D	E
F	G	н	I	J

VI Elementary analysis of the organic compound X, which is a liquid at room temperature and consists of carbon, hydrogen, and oxygen, shows C: 68.18%, H: 13.64 %, O: 18.18%. The molecular weight of X is 60. Answer questions (1)-(4). Use the following values for atomic weights: C: 12.0, H: 1.00, O: 16.0.

(1) Select the molecular formula of the compound X: (a) C₂H₆O (b) C₄H₁₀O (e) C₅H₁₂O (d) C₆H₁₄O (f) C₃H₈O (g) C₃H₇Cl

- (2) The reaction of X with metallic sodium generates a gas. Which of the following gases are generated?
- (a) oxygen (b) nitrogen (c) hydrogen chloride (d) chlorine (e) carbon dioxide (f) hydrogen
- (3) Which of the following functional groups does X have?
- (a) carboxylic acid
- (b) ester
- (c) alcohol
- (d) amine
- (e) aldehyde
- (4) How many structural isomers of X does a chiral carbon center have?

(6)

(0)	(2)	(1)
		(40)

VII Answer the following questions about the amino acids ①-⑥.

- Alanine
- ② Glycine
- ③ Glutamic acid

- 4 Tyrosine
- Methionine
- Lysine
- (1) Which of the descriptions (a) to (e) is not correct for the common properties of these amino acids?
- (a) All are α-amino acids.
- (b) Optical isomers (enantiomers) exist.
- (c) All are water soluble.
- (d) All consist of one amino group and one carboxylate group.
- (e) All become purple when heated with ninhydrin test solution followed by cooling.
- (2) Which has the smallest molecular weight?

- (3) Which contains sulfur atoms?
- (4) Which sodium salt is used as a synthetic seasoning?
- (5) Which becomes yellow when heated with concentrated nitric acid?

(1)	(2)	(3)	(4)	(5)